


99099

CONNECT Z



General information

Materialnummer	99099
Type	fjernbetjening
Produktsegment	Indoor
Tema	EGLO connect.z

Dimensioner

Produktets højde (i mm)	18
Produktets bredde (i mm)	54
Produktets længde (i mm)	122
Nettovægt (i kg)	0.07 Kilogramm
Article Diameter (in mm)	600
Produktets udhæng (i mm)	39
Baldachin Höhe (in mm)	25
Baldachin Durchmesser (in mm)	105
Baldachin Länge (in mm)	295
Baldachin Breite (in mm)	45
Base Diameter (in mm)	195
Base Length (in mm)	110
Base Width (in mm)	80
Höhe min. (in mm)	910
Höhe max. (in mm)	1900

99099

CONNECT Z

Teknisk information

Grad de protectie	IP44
Beskyttelsesklasse	1
Maks. effekt (1)	-
Netspænding	uden
Driftsspænding	uden
Dimmable	No
max. Wattage (2)	2X3,3W
max. Wattage (3)	7W
Spannung	220-240V 50/60Hz
U out	25-42V
I out	300mA
Hz	100Hz

Illuminant 1

Socket Type (1)	GU10
Illuminant Type (1)	GU10-LED
Illuminant incl. (1)	Inclusive
Energy efficiency class (EEI)	F
Info changeability□light source/driver	LED exchangeable by customers, no driver included
Kelvin Gesamt	3000K
Lichtfarbe Gesamt	WARM WHITE
Dimmbar	Nein

Materiale og farve

Materiale	plast
Farve	grå
Material sticlă / abajur	Sticlă
Culoare sticlă / abajur	transparent
Cable Colour	transparent

Funktionalitet

Stiktype	uden afbryder
Funktion	Bluetooth
Batteri	Ja
Batteritype	AAA; R03P; 1,5V
Sensor Angle (in °)	90
Sensitivity max. (in lux)	2000
Burning Time min. (in sec.)	40
Burning Time max. (in sec.)	420
Distance (in Meter)	8
Sensitivity min. (in lux)	2

99099

CONNECT Z

Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Kelvin Complete	3000K
Light colour Complete	WARM WHITE
Dimmable	No
Energy efficiency class (EEI)	E
Info changeability□light source/driver	LED cannot be exchanged, no driver included
Nennlebensdauer (in h)	25000
Zahl der Schaltzyklen	15000
Bemessungsleistung (0,1W Präzision)	3,3
Lichtfarbtoleranz (LED, SDCM)	<6
Lumen Complete	2650
Lumen mit Abdeckung	500

Lyskilde 1

Lyskildetype (1)	-
Lyskilde	Eksklusiv
Fatningstype (1)	-

Leuchtmittel 2

Fassungsart (2)	LED
Leuchtmitteltyp (2)	LED
2. Leuchtmittel	im Lieferumfang enthalten
Kelvin Gesamt	3000K
Lichtfarbe Gesamt	WARM WHITE;WARM WHITE
Dimmbar	Nein

Leuchtmittel 3

Fassungsart (3)	LED
Leuchtmitteltyp (3)	LED
3. Leuchtmittel	im Lieferumfang enthalten
Kelvin Gesamt	3000K
Lichtfarbe Gesamt	WARM WHITE;WARM WHITE;WARM WHI
Dimmbar	Nein

99099

CONNECT Z



AAA,
R03P

1,5V